



Digi TX64 5G Rail

5G railway-rated cellular router customized for both on-board heavy and light rail railways and metros

Ideal for challenging rail transportation environments, the **Digi TX64 5G Rail** router offers 5G/4G/3G cellular connectivity with true enterprise class routing, security, firewall and integrated VPN. It offers a flexible interface design with an integrated Wi-Fi 6 access point and client, USB, serial, inertial-guided GNSS, Bluetooth* and 4-port Gigabit Ethernet switch, as well as a variety of configuration options.

5G is a game-changer for the rail industry. Until now, the speeds needed to securely move massive amounts of data quickly were reserved for wired networks. But today, with the rapid expansion of 5G (with LTE fallback), this fully rail-certified device delivers 5G performance, either as a primary or failover connection.

Customers and suppliers alike will begin to expect 5G connectivity whether it is for other on-board equipment applications or the information being provided to riders. Paving the way for compatibility with FRMCS standards, this first industry-standard 5G rail-rated device prepares you for the future today.

Digi TX64 5G Rail is equipped with precision train positioning via an Untethered Dead Reckoning (UDR) module that reports location data more accurately by taking into account acceleration, speed and angular rate. Regardless of issues with traditional GNSS in certain weather conditions or tunnels, UDR allows you to monitor the train's exact positioning and speed, optimize each train's location and prevent collisions without the use of additional onboard systems.

Digi TX64 5G Rail features FirstNet Trusted™ support to meet the critical demands of first responders for emergency communications. Digi TX64 5G Rail also meets the U.S. government cybersecurity FIPS 140-2 standard and supports the Digi TrustFence® security framework to ensure it is secure on day one and stays secure throughout its life. Easily deploy and centrally manage Digi TX64 5G Rail with Digi Remote Manager® and available value-added services.

Related Digi transportation router solutions










Digi TX54 5G

Digi TX40 5G

Digi Remote Manager

Key features, benefits and applications

- High-speed 5G NR cellular radio with 4G LTE-Advanced Pro Cat 20 and 3G fallback
- FirstNet Trusted™ for primary responders communication
- Meets U.S. government FIPS 140-2 cybersecurity standard
- WR44 RR drop-in replacement and upgrade
- Wired Gigabit M12 Ethernet (4-port) for onboard systems
- Dual concurrent Wi-Fi 6 2 x 2 backhaul, with passenger Wi-Fi over Wi-Fi 6 2 x 2 access point
- Wired Gigabit M12 Ethernet (4-port) for onboard systems
- Cryptographic co-processor with secure key generation/storage
- Digi Remote Manager cloud-native platform to easily deploy, mass configure and manage devices
- Value-added services include Digi Containers, Digi WAN
 Bonding 5G/LTE WAN aggregation with immediate failover and
 Digi Mobile VPN for secure, persistent mobile connectivity





Management

Digi Accelerated Linux (DAL OS) and Digi Remote Manager (Digi RM)

DAL OS

DAL OS is Digi's standard operating system integrated into Digi **Enterprise** (EX), **Industrial** (IX) and **Transportation** (TX) routers, **console servers** and **USB-connected devices**. Developed for speed and simplicity, DAL OS enables advanced capabilities that support today's demanding applications.

Learn more at www.digi.com/DAL.

Digi Remote Manager

Digi Remote Manager (Digi RM) is a proven technology platform that brings networks to the next level, empowering networks — and the people who manage them — to work smarter. Digi RM transforms a multitude of dispersed IoT devices into a dynamic, intelligent network. It's easy to deploy, monitor and diagnose thousands of mission-critical devices from a single point of command on a desktop, tablet or phone. All the while, software-defined security diligently safeguards your entire Digi ecosystem.

Learn more at www.digi.com/digi-remote-manager.

Digi RM Infrastructure

- Hosted in a commercial-grade cloud server environment that meets SOC 1°, SOC 2° and SOC 3° standards
- Superior availability, operating at 99.9% or greater uptime
- Open APIs are available to support application development

Digi RM Security

- · Comprehensive security controls to protect your data
- Member of the Center for Internet Security® (CIS®)
- Enables compliance with security frameworks like ISO27002, HIPAA, NIST and more
- Earned Skyhigh's CloudTrust™ Program highest rating of Enterprise-Ready



DAL OS and Digi RM Capabilities

- DAL OS with Digi Remote Manager: Remote console access,
 Configuration Manager, HTTP proxy, device event logs,
 configurable maintenance window
- Serial: Modbus, serial-over-TCP/UDP
- Customization: Python 3, Python pip, PyCharm integration, shell scripting, containers, MQTT client
- Troubleshooting tools: iPerf and nuttcp bandwidth testing, Find Me tool
- GNSS: NMEA/TAIP location forwarding to multiple servers, geofencing
- Activate, monitor and diagnose your mission-critical devices through a single portal
- Schedule key operations including firmware updates and file management — on a single device or on a group of devices, keeping your network functionality up-to-date and maintaining compliance standards
- Manage edge devices out-of-band via console terminal access
- Monitor equipment health and connectivity across deployments of any size
- Create detailed reports and enable real-time alerts for specified conditions
- Integrate device data through open APIs to gain deeper insights and control with third-party applications
- Report and alert on performance statistics, including connection history, signal quality, latency, data usage and packet loss



Security and Value-Added Services

Digi TrustFence



BUILT-IN SECURITY. DELIVERED.

Designed for mission-critical applications, **Digi TrustFence** enables users to easily integrate device security, device identity, and data privacy capabilities into product design. Digi TrustFence security for IoT devices is designed to grow and adapt with new and evolving threats.

Learn more at www.digi.com/trustfence.

Digi TrustFence is a device security framework that simplifies the process of securing multiple connected devices.

- **Secure boot:** Programs and code running on the device are validated to be from an approved source or manufacturer.
- Protected hardware ports: Internal and external I/O ports are hardened and access-controlled to prevent unwanted intrusion.
- Authentication: TrustFence provides data authentication and device identity management options and ensures that products are not shipped with default user and password settings.
- **Secure connections:** These connections utilize the latest encryption protocols for data in motion and over-the-air (OTA) transmissions to ensure the integrity of network data.
- Ongoing monitoring and support: Digi provides ongoing threat measurement and monitoring services and performs external security audits.

Digi Containers



DIGI REMOTE MANAGER ENABLES DEPLOYMENT OF CUSTOM APPLICATIONS VIA CONTAINERS

Digi Containers simplify and centralize the process of building, deploying and running custom applications on devices managed with **Digi Remote Manager** as the central portal. Containers with custom programs or Python applications can be loaded via Digi RM on any device running the **Digi Accelerated Linux** operating system (DAL OS).

As an add-on service to Digi Remote Manager, Digi Containers are a powerful capability implemented via Lightweight Linux Containers (LXC). LXC tools enable developers to package up a custom application, with its dependencies and configuration, into a lightweight, portable bundle that shares only the running kernel with the host device.

Digi WAN Bonding



RESILIENT CONNECTIVITY AND MAXIMUM PERFORMANCE ACROSS MULTIPLE CONNECTIONS

Digi WAN Bonding combines multiple connections into a seamless and resilient connectivity solution that ensures optimal performance and maximum uptime anywhere around the world.

Digi devices provide a range of connectivity options including cellular failover with features such as **Digi SureLink**, policy-based routing and interface bonding. These features are excellent at preventing any external network failures from causing downtime.

Digi Mobile VPN



SECURE VPN SERVICE WITH PERSISTENT CONNECTIVITY FOR CRITICAL COMMUNICATIONS

Digi Mobile VPN enables users to create a secure connection between their data centers and the Digi router, including connected (wired or wireless) edge devices. Digi Mobile VPN offers persistent, secure connectivity, utilizing Digi Remote Manager as the central portal for orchestrating the mobile VPN setup and deployment.

This functionality is particularly important for public sector, emergency response and mass transit applications that require secure and reliable connections in first responder vehicles, buses, trains and paratransit vans.



^{*}Digi Containers, Digi WAN Bonding and Digi Mobile VPN are available as a subscription added to Digi Remote Manager Premier.

Specifications



Manage and configure Digi TX64 5G Rail with Digi Remote Manager

| SPECIFICATIONS | DIGI TX64 5G RAIL |
|--|---|
| WIRELESS INTERFACES | |
| CELLULAR / WWAN | |
| 5G SUB-6 GHZ WITH 4G LTE-ADVANCED PRO AND 3G FALLBACK — GLOBAL | 56 Sub-6 : n1, n2, n3, n5, n7, n8, n12, n20, n25, n28, n38, n40, n41, n48 CBRS, n66, n71, n77, n78, n79, C-band; 46 LTE : B1, B2, B3, B4, B5, B7, B8, B12, B13, B14 FirstNet*, B17, B18, B19, B20, B25, B26, B28, B29, B30, B32, B34, B38, B39, B40, B41, B42, B43, B46, B48 CBRS, B66, B71 36 : B1, B2, B3, B4, B5, B6, B8, B9, B19 |
| CONNECTORS | (4) 50 Ω TNC (center pin: female) |
| SIM SLOTS | (2) mini-SIM (2FF) |
| SIM SECURITY | SIM slot cover plate included |
| WI-FI | |
| TECHNOLOGY | Private backhaul: Wi-Fi 6 (802.11ax), 2.4 / 5 GHz, 2 x 2 MIMO Public Wi-Fi: Wi-Fi 6 (802.11ax), 2.4 / 5 GHz, 2 x 2 MIMO |
| НОТЅРОТ | Captive portal with customizable splash page |
| AUTHENTICATION | Basic terms and conditions acceptance, enterprise RADIUS, shared password, HotSpotSystem |
| THIRD-PARTY SERVICES | Content filtering, embedded advertising |
| MODES | Up to 8 access points and 1 client per Wi-Fi module (16 + 2 total) |
| CONNECTORS | Private backhaul: (2) 50 Ω RP-TNC (center pin: male) Public Wi-Fi: (2) 50 Ω RP-TNC (center pin: male) |
| GNSS | |
| TECHNOLOGY | GPS, Galileo, BeiDou and GLONASS with Untethered Dead Reckoning (UDR), multiple geofence support |
| SENSITIVITY | Tracking and navigation: -160 dBm |
| PROTOCOL | NMEA 0183 4.0, TAIP |
| CONNECTOR | (1) 50 Ω RP-TNC (center pin: male); +3.3 VDC active antenna drive |
| WIRED INTERFACES | |
| ETHERNET | |
| PORTS / CONNECTOR | (4) M12 X-CODE / IEEE 802.3; 10/100/1000 Base-T |
| SERIAL | |
| PORTS / CONNECTOR | (1) RS-232; DB-9 male |
| USB | |
| PORTS / CONNECTOR | (2) USB 3.0 Type A |



Specifications and Warranty



Manage and configure Digi TX64 5G Rail with Digi Remote Manager

| SPECIFICATIONS | DIGI TX64 5G RAIL |
|----------------------------|---|
| SOFTWARE AND MANAGEMENT | |
| REMOTE MANAGEMENT | Digi Remote Manager (cloud based); SNMP v2c/v3 (user installed/managed), SMS |
| LOCAL MANAGEMENT | Web UI (HTTPS); CLI (SSH, serial) |
| MANAGEMENT TOOLS | SFTP, SCP; protocol analyzer with PCAP for Wireshark; event logging with Syslog |
| MEMORY | |
| RAM / FLASH | 2 GB / 8 GB |
| PHYSICAL | |
| DIMENSIONS | 260 mm x 196 mm x 51 mm (10.2 in x 7.8 in x 2 in) |
| WEIGHT | 3.9 kg (8.6 lbs) |
| STATUS LEDS | Power, WWAN (signal, service) per module, Wi-Fi service (per module), GNSS service, LAN (link, activity) |
| ENCLOSURE / RATING | Aluminum alloy / IP66 |
| POWER REQUIREMENTS | |
| POWER INPUT | 9 – 36 VDC, 60 W minimum power source required; M12 T-CODE with ignition sense |
| POWER CONSUMPTION | 28 W typical (idle); 41 W (peak RF Tx/Rx) |
| ENVIRONMENTAL | |
| MOUNTING | Slotted mounting flanges, grounding stud |
| OPERATING TEMPERATURE | -40 °C to 74 °C (-40 °F to 165.2 °F) |
| STORAGE TEMPERATURE | -40 °C to 85 °C (-40 °F to 185 °F) |
| RELATIVE HUMIDITY | 0% to 95% (non-condensing) at 25 °C (77 °F) |
| APPROVALS | |
| CELLULAR | PTCRB, AT&T, FirstNet Trusted", T-Mobile, Verizon; Visit www.digi.com/resources/certifications for latest cellular certifications |
| SHOCK / VIBRATION | MIL-STD-810G: vibration (Method 414.6C-10, Category 11), shock (Method 516.6, Procedure I) |
| EMISSIONS / IMMUNITY | FCC Part 15 Class B, EN 50121-3-2, CISPR 16-2-3 |
| ENVIRONMENTAL / INDUSTRIAL | EN 50155, EN 45545-2, IEC 60068-2-1/2-2/2-30 |
| WARRANTY | |
| PRODUCT WARRANTY | 3-year* |

^{*}Standard 3-year warranty upgradeable to 5 years with purchase of a Digi Remote Manager Premier 5-year subscription applicable to the product purchased only at the time of product purchase and with product registration at that time in Digi Remote Manager.



Software, Photos, Partners and Technologies



Manage and configure Digi TX64 5G Rail with Digi Remote Manager

| ENTERPRISE SOFTWARE | DESCRIPTION |
|---|--|
| PROTOCOL SUPPORT | HTTPS, FTP client, TLS v1.2, SNMP (v2c/3), SSH; remote management via Digi Remote Manager ; serial Modbus, MQTT client, protocol analyzer, DynDNS, Dynamic DNS client compatible with BIND9/No-IP/DynDNS; DMNR; Dual-APN; X.509 certificate management; VRRP+ |
| SECURITY | IP filtering, stateful firewall, custom firewall rules (iptables), address and port translation; User Authentication: 2-factor authentication, RADIUS, TACACS+; certificates; MAC address filtering; VLAN support |
| VPN | IPSec with IKEv1, IKEv2, NAT Traversal, DMVPN; OpenVPN client and server; GRE VPN tunnels; Cryptology: SHA-1/256/384/512, MD5, RSA; Encryption: 3DES and AES up to 256-bit (CBC mode for IPsec); Diffie Hellman: groups 1-32 |
| ROUTING / FAILOVER | IP pass-through; NAT, NAPT with IP port forwarding; Ethernet bridging; Ethernet bonding; GRE; multicast routing; Routing protocols: RIP (v1, v2) OSPF, BGP; IP failover: VRRP; automatic failover; Digi SureLink * |
| OTHER PROTOCOLS | DHCP; dynamic DNS client compatible with No-IP/DynDNS; Nagios, DNS server, NTP server, mDNS, IPerf |
| LOCAL MANAGEMENT | Web interface (HTTPS); CLI (SSH, serial port); SNMP v2c/v3 read-only; custom factory configuration |
| MANAGEMENT / TROUBLESHOOTING PROTOCOLS | Protocol analyzer with PCAP for Wireshark, event and system logging (with syslog), accessible from Digi Remote Manager , SFTP or SCP, CLI, Web UI, Intelliflow |
| PROGRAMMING TOOLS / ENVIRONMENTS | Python v3 (regularly updated to newest version) |

^{*}For a comprehensive list of operating system features, please visit www.digi.com/solutions/by-technology/dal-operating-system/features.

Product Photos

DIGI TX64 5G RAIL — FRONT

DIGI TX64 5G RAIL — BACK





Featured Partners and Technologies







^{*}FirstNet" and FirstNet Ready" are registered trademarks and service marks of the First Responder Network Authority. All other trademarks are the property of their respective owners.



Part Numbers

| PART NUMBERS | DIGI TX64 RAIL |
|--------------|--|
| TX64-R210-PR | Digi TX64 5G Rail Primary Responder router — 5G / LTE-Advanced Pro Cat 20, dual Wi-Fi, UDR, global, FirstNet Trusted |
| TX64-R210 | Digi TX64 5G Rail router — 5G / LTE-Advanced Pro Cat 20, dual Wi-Fi, UDR, global |

| PART NUMBERS | AVAILABLE ACCESSORIES* |
|--------------|---|
| 76002108 | Digi TX64 5G Rail power, M12 T-code female connector, 5 m |
| 76002109 | Digi TX64 5G Rail Ethernet to WR44 RR adapter cable |

^{*}Sold separately, unless otherwise noted.

| PART NUMBERS | DIGI REMOTE MANAGER AND VALUE-ADDED SERVICES | |
|------------------------------------|--|--|
| DIGI REMOTE MANAGER SUBSCRIPTIONS | | |
| DIGI-RM-PRM-1YR | Digi Remote Manager Premier — 1-year subscription | |
| DIGI-RM-PRM-3YR | Digi Remote Manager Premier — 3-year subscription | |
| DIGI-RM-PRM-5YR | Digi Remote Manager Premier — 5-year subscription | |
| VALUE-ADDED SERVICES SUBSCRIPTIONS | | |
| DIGI-RM-PRM-CS | Digi Containers subscription — 1-year subscription | |
| DIGI-SRV-WB-TIER1-1YR | Digi WAN Bonding subscription with 100 Mbps max throughput $-$ 1-year subscription | |
| DIGI-SRV-WB-TIER2-1YR | Digi WAN Bonding subscription with 200 Mbps max throughput $-$ 1-year subscription | |
| DIGI-SRV-WB-TIER3-1YR | Digi WAN Bonding subscription with 1 Gbps max throughput $-$ 1-year subscription | |
| DIGI-SRV-MVPN-TIER1-INSTALL | Digi Mobile VPN installation, less than 500 routers (one-time fee, installation for subscriptions up to 500 routers) | |
| DIGI-SRV-MVPN-PR-TIER1-1YR | ${\sf Digi\ Mobile\ VPN\ subscription\ (Primary\ Responder), less\ than\ 500\ routers-1-year\ subscription}$ | |
| DIGI-SRV-MVPN-TIER1-1YR | Digi Mobile VPN subscription, less than 500 routers $-$ 1-year subscription | |

For more information, visit digi.com.



For more information about Digi TX64 5G Rail, visit www.digi.com/tx64-5g-rail.

877-912-3444 | 952-912-3444

